

A Review on Wide Range Application of Nanoparticles in Agriculture and its Implications in Plant Disease Management

Tushar P. Vaghasiya, Adesh Kumar* and Kartik Nakum

Department of Plant Pathology, School of Agriculture, Lovely Professional University, Phagwara, Punjab, India

*Correspondence to:

Dr. Adesh Kumar

Associate Professor and Head, Department of Plant Pathology, School of Agriculture (ICAR Accredited with 'A' Grade), Lovely Professional University, Phagwara, Punjab, India

E-mail: adesh.19078@lpu.co.in

phytopath06@gmail.com

Received: April 13, 2022

Accepted: June 14, 2022

Published: June 17, 2022

Citation: Vaghasiya TP, Kumar A, Nakum K. 2022. A Review on Wide Range Application of Nanoparticles in Agriculture and its Implications in Plant Disease Management. *NanoWorld J* 8(2): 55-65.

Copyright: © 2022 Vaghasiya et al. This is an Open Access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC-BY) (<http://creativecommons.org/licenses/by/4.0/>) which permits commercial use, including reproduction, adaptation, and distribution of the article provided the original author and source are credited.

Published by United Scientific Group

Abstract

In the current situation several types of synthetic pesticides are available but they are harmful for the ecosystem and do possess a devastating impact on human health. The other side organic fungicides and biocontrol agents are also accessible in the market which relies on specific environmental conditions and can be used only under particular situations. Most of the organic methods are slow and time-consuming processes and contrary farmers don't have time as biological processes of the plants are fast, so the timing is foremost valuable for economic yields. To combat the existing situation there is an alternate solution exists in the form of nano technology for the management of plant pathogens and currently nano fungicides i.e., AgNps, CuNPs, TiO₂, chitosan nanoparticles and nano emulsions are being used in the sector of plant diseases management. These days' nanoparticles are used in the agriculture sector because of their antifungal, antibacterial and antiviral properties. Nano silvers (silver nanoparticles) and nano sensors are applied against abiotic stresses and insect pests as fertilizers, growth promoters and insecticides respectively. Presently many researches were conducted on silver particles and silver nano-based fungicides show high effectivity against plant pathogens. Hopefully in the future, silver nanoparticles will be marketed for the control of plant diseases and insect pests and for the detection of pesticides. Therefore, this manuscript addresses all the possible applications and approaches of nanoparticles as effective and ecofriendly tools imparting growth to the plants which reduces impact of plant diseases on plant part as plant system is strengthen and to combat against plant pathogens & insect pests because of their antifungal, antibacterial, antiviral & insecticidal properties.

Keywords

Nanotechnology, Nanoparticles, Synthetic fungicides, Ecosystem, Human health

Introduction

Worldwide loss to the yield due to insect pests, diseases and weeds is 14, 13 and 13 percent respectively [1]. An average worldwide yield loss due to plant diseases every year estimated 2,000 billion dollars [1] wherein only fungi cause 200 billion US dollar loss in a year [2] and pesticides are the sources of management of plant diseases, and these synthetic pesticides undoubtedly cause severe health concerns to humans and animals via treated plant produce and products [3]. In India, total consumption of pesticides was 60,566 MT in the financial year 2019-2020 [4].

A good economic and widely accepted alternate to synthetic pesticides can be use of a nano technological approach which may termed as nano-agriculture in

which nanoparticle or nano-size materials are used to enhance crop productivity and suppress the pest [5, 6]. Nanotechnology has all the potential to improve plants yield [7], detect plant pathogens [8], protect plants [9], increase food production [10] and improve food quality [11].

Metals play an important role in the plant management; application of direct metal can cause phytotoxic effects to plants but once it was used with nanotechnology improves plant's quality and quantity [12]. Nano agriculture lies on various types of metals like silver [13], silica [14], sulphur [15], gold [16], titanium [17] etc. but silver particles has been widely used since very long time because of its antimicrobial and anti-viral properties [18-23] also silver nanoparticles are hydrophilic in nature so disperse easily and distribute uniformly in water [24, 25]. Though the medical use of silver has been documented long back since 1000 B.C and Chinese and Indian Ayurveda has recommended silver as medicine to maintain good health [26]. Silver (Ag) metal elements have atomic number 47 and atomic mass 107.87. The average Ag content in the soil is 100 ng g⁻¹ and ranging from 10 to 5,000 ng g⁻¹ [27].

Nanotechnology in Agriculture

Agriculture is a broad term that includes various types of systems to cultivate plants. Nanotechnology has been used since the last half-century, but its application and implantation started in recent years in agriculture [28]. In agriculture, nanotechnology is being a very useful and eco-friendly tool for soil, air and water management; bubble chart depicts multi-dimensional application of nanomaterial for crop protection, crop production, management of crops and food processing [29].

Nanotechnology and crop production

Used for monitoring of crops

Nanotechnological tools or machines are used these days for the supervision of crops. In the nanotech field, they develop nanosensors wherein the sensing capacity is less than 100 nm in the depth of material [30]. Nanosensors determine the chemical and physical changes in the soil and plant ecosystems, available soil and plant nutrient status and detect the presence of plant pathogens, weeds and insect pests in the field [31, 32]. Nanotechnology also helps the detection of pesticides for instance Surface-enhanced Raman scattering (SERS) technology, in this technology Au and Ag is used to detect Thiacloprid, Profenofos and Oxamyl [33]. Use of gold and silver nanoparticles to detect organophosphate pesticides into the environment was executed effectively (Simolian et al. [34]. Humic acid protected nanoparticles are sensitive to an increased amount of sulfurazon-ethyl herbicide and the particle changes color of solution yellow to purple and acts as nanosensor and herbicide detector [35]. Nanotechnology is also useful for suppression of pollution wherein the nanoparticles are used to treat soil, sediment, wastewater and, control air pollution for instance Chitosan and silver combination is used as a filter of drink water and remove pesticide particles from the wastewater [36]. Nanoparticles are also used for the

mineralization of halocarbons and other organic as well as inorganic contaminants [37].

Used as fertilizers

In the conventional application methods like spraying and broadcasting which cause losses by leaching, runoff, evaporation, microbial and photolytic degradation. In these conventional methods, fewer amounts of fertilizers get available to the plants wherein about 40-70% Nitrogen, 80-90% Phosphorus and 50-90% potassium get lost in the environment [38]. Due to this loss of fertilizers farmers apply more fertilizers which cause pollution, reduction of microflora and have residual effect on plant produce. These losses can be solved through Nano fertilizers; fertilizers are being used in combination with nanomaterials. Nanomaterials are beneficial and give better performance when compared with synthetic fertilizers regarding the plants [39] for instance use of magnetic fields with silver nanoparticles improve growth and quality of fodder maize crops [40].

Used as growth promoters

When nanofertilizers were used in adverse conditions for the improvement of plant's growth, improvement of germination rate, germination percentage, dry weight and root length was observed. AgNPs treated tomato plants under two levels of salinity [100 ppm and 150 ppm] found incorporating and increasing growth and yield of tomato plants [41]. Razzaq and teammates [42] stated that silver nanoparticles have potential to improve plant growth and yield with a low concentration (25 to 50 ppm), silver nanoparticles with the combination of gold nanoparticles improve leaf area, number of leaves, plant height, chlorophyll content and sugar content that led to improving yields [43-45]. Silver nanoparticles at 50 ppm concentration in black mustard seeds improve shoot length and root length of the plant [146]. Seeds coated with silver nanoparticles absorb more water in comparison to uncoated seeds [47] and seeds treated with AgNPs could show 90% more resistance than untreated under drought conditions [48].

Used in genetics and tissue culture

Silver nanoparticles are also used in gene regulation, for instance a sublethal dose of silver nanoparticles was not found having direct effect on N₂ fixing (anfD, nifH, nifD, vnfD) and N₂ denitrifying (napB, norB, nirH, narG) genes but other involved genes (amoA1, amoC2) in nitrification is upregulated in *Nitrosomonas europaea* [49]. In tissue culture, the use of silver nanoparticles in callus formation, root and shoot generation have been reported, for instance *Tecomella undulata* explant medium with the use of silver nanoparticle found increasing number of shoots and the formation of callus [50-52]. Silver nanoparticles also improve the quality of the plant when used as tissue culture methods, for instance variety *Solanum nigrum* was improved by somaclonal variation with the use of silver nanoparticles [53].

Nanotechnology and crop protection

Now a day pesticides or synthetic chemicals are used in a large amount in the agriculture sector for the management of

plant diseases, insect pests and weeds. This excess use of synthetic chemicals does have harmful effects on the ecosystem as it causes mortality, modifications in beneficial fauna and flora and develop resistance into pests of plants [54]. When the use of nanoparticles integrated with other chemicals it has negligible adverse effect on the ecosystem and found reducing toxicity in fauna and flora [55] and humans [56, 57].

Used in management of Insect pests

Silver nanoparticles synthesized from *Azadirachta indica* were used to control mosquito larvae as it has hydrophilic nature and insecticidal properties; AgNPs used against *Aedes aegypti* and *Anopheles stephensi* [58]. Sap-Iam and colleagues also used UV-induced silver nanoparticles to kill mosquito larvae as a larvicide [59]. Silver nanoparticles were also integrated with insecticides like, Dichlorvos and Chlorpyrifos to enhance their insecticidal properties and effectiveness; 95% and 98% in Dichlorvos and Chlorpyrifos respectively [60]. According to Yang and colleagues, use of nanoparticles with the garlic oil is effective against *Tribolium castaneum* (Herbst) [61]. Nanosilvers affect larva of *Callosobruchus maculatus* and silica nanoparticles affect adult stage while experimenting with silver and sulphur nanoparticles found effective against the different stages of *Drosophila melanogaster* [62]. Table 1 show nanoparticles used worldwide in the management of insect pests of crops.

Used in management of plant pathogens

Silver nanoparticles (AgNPs) have become one of the most commonly used nanomaterials in consumer products, and for several decades, silver (Ag⁺) has been studied as an antimicrobial agent against various harmful microorganisms [60]. Being powerful disinfectant agent silver nanoparticles (AgNPs) have antiviral [63], antifungal [64], antibacterial [65] properties and became one of the most used nanomaterials in the management of plant diseases.

Management of fungal diseases

Nanoemulsions like polyvinyl chloride, polyvinyl pyridine and chitosan, Nanoclays and Nanoparticles like ZnO, Ag and Ag⁺, TiO₂, CeO₂, Au, Al, Fe and CuO are the nanotechnologies used with fungicides in the management of plant diseases [66]. In nano fungicides many metals like Au, Ag, Au-Ag alloy [67], selenium [68], tellurium [69], platinum [70] are used to control the plant pathogens, in those metals silver is very efficient to control plant pathogens.

The smaller nanosilver particles are more effective at inhibiting fungal growth because it easily passes through the cell wall [71]. According to Kim and teammates, silver with silica nanoparticles inhibited more than 90% growth of *Rhizoctonia solani* at 6 µg/ml concentrations [72, 73]. Ouda and colleagues stated that use of AgNPs with CuNPs was effective against *Alternaria alternata* and *Botrytis cinerea* [74]. Karimi and Sadeghi found that 100 ppm concentration of AgNPs inhibited 100% growth of *Pythium aphanidermatum*, *Botrytis cinerea*, *Pythium spinosum*, *Coletroticum cucumerinum*, *Glomerella cingulata*, *Cylindrocarpon destructans*, *Fusarium oxysporum* f.sp. *cucumerinum*, *Monosporascus cannonballus* and *Fusarium oxysporum* [75]. Aziz and his team found that use of biogenic silver nanoparticles showed better results compared to chemical fungicides like fluconazole, ketoconazole and amphotericin B [20, 76].

Mode of action: There are several mechanisms through which silver nanoparticles are used to control plant diseases. There are numerous theories on mechanisms of working of silver nanoparticles; cause structural changes in cellular mechanism and cause cell death [76], interact with thiol (-SH) group to inhibit and inactivate enzymes [77, 78], inhibit respiratory enzymes in DNA and Protein contain sulphur and phosphorus [79-83]. They can increase the permeability of cell membranes by producing reactive oxygen species and interrupt in replica-

Table 1: Silver nanoparticles and their combination with other material for the management of insect pests.

Insect	Combination	Reference
<i>Chironomus riparius</i> (Meigen)	-	[124]
<i>Aedes albopictus</i>	<i>Cassia fistula</i> extract	[125]
<i>Culex pipiens pallens</i>	<i>Cassia fistula</i> extract	[125]
<i>Aedes albopictus</i>	Salicylic acid and 3,5-dinitrosalicylic acid	[126]
<i>Drosophila melanogaster</i>	-	[127, 128]
<i>Spodoptera litura</i>	-	[129]
<i>Achaea janata</i>	-	[129]
<i>Spodoptera litura</i>	<i>Punica granatum</i>	[130]
<i>Lipaphis erysimi</i> Kalt.	<i>Beauveria bassiana</i>	[131]
<i>Tribolium castaneum</i>	Malathion	[132]
<i>Sitophilus oryzae</i>	<i>Euphorbia prostrata</i>	[133]
<i>Pericallia ricini</i>	Gold nanoparticle	[134]
<i>Aphis nerii</i>	Zinc nanoparticle	[135]
<i>Agrotis ipsilon</i>	<i>Bacillus thuringiensis kurstaki</i> (Btk)	[136]
<i>Trichoplusia ni</i> (Hübner)	<i>Bacillus thuringiensis kurstaki</i> (Btk)	[136]
<i>Corcyra cephalonica</i> (S.)	<i>Ocimum sanctum</i>	[137]

tion of deoxyribonucleic acid [84]. Table 2 and 3 show silver nanoparticles and their combination with other nanoparticles used for the management of fungal plant pathogens.

Management of bacterial diseases

Silver nanoparticles are known for strong bacteriostats, Bactericidal and broad-spectrum antimicrobial activity [85, 86]. Silver nanoparticles also affect soil plant pathogenic bacteria [87] and act as strong antimicrobial agents due to inhibitory effects against various bacteria [88-90]. Silver and TiO₂ nanoparticles in combination are effective for removing bacterial pathogens from tobacco plants [91]. The bacterium,

Xanthomonas perforans (tomato) was reported developing resistance against Cu fungicides but when low concentration (16 ppm) of silver nanoparticles with Graphene oxide were used, inhibited bacterial spot diseases of tomato [92].

Mode of action: Owing to electrostatic attraction and affinity to sulfur proteins, silver ions can adhere to the cell wall and cytoplasmic membrane. The adhered ions can enhance the permeability of the cytoplasmic membrane and lead to disruption of the bacterial envelope [93, 94]. Those silver ions also have inbuilt properties to bind with thiol (-SH) group of enzymes and inactivate them [78]. Pathogen cells come in contact with silver ions, which inhibits many functions that lead to

Table 2: Silver nanoparticles against fungal plant pathogens.

Name of pathogen	Diseases name	Crop	Reference
<i>Alternaria alternata</i>	Alternaria blight	Strawberry, Chilli, Tomato	[73, 138]
<i>Sclerotinia sclerotiorum</i>	-	-	[138, 139]
<i>Macrophomina phaseolina</i>	-	-	[138]
<i>Rhizoctonia solani</i>	-	-	[72, 138, 139]
<i>Botrytis cinerea</i>	Gray mold	Brinjal, tomato, potato, Capsicum, strawberry	[73, 138]
<i>Curvularia lunata</i>	-	-	[138]
<i>Sphaerotheca pannosa</i> var <i>rosae</i>	Powdery mildew	Rose	[85]
<i>S. minor</i>	-	-	[139]
<i>Fusarium graminearum</i>	-	-	[140]
<i>Fusarium udum</i>	-	-	[140]
<i>B. sorokiniana</i>		Wheat	[141]
<i>Sphaerotheca fusca</i>	-	-	[142]
<i>Fusarium culmorum</i>	-	-	[143]
<i>Alternaria brassicicola</i>	Black spot	Cauliflower, radish, cabbage, kale	[73]
<i>Alternaria solani</i>	leaf spot	Capsicum, tomato, Brinjal, potato	[73, 144, 145]
<i>Cladosporium cucumerinum</i>	Scab	Brinjal, cucumber, pumpkin, melon	[73]
<i>Corynespora cassiicola</i>	Leaf spot	Capsicum, cucumber, bean, tomato, sesame	[73]
<i>Cylindrocarpon destructans</i>	Root rot	Strawberry, ginseng, peony	[73]
<i>Didymella bryoniae</i>	Black rot	Cucumber, pumpkin, watermelon, melon	[73]
<i>Fusarium oxysporum</i> f. sp. <i>cucumerinum</i>	Fusarium wilt	Cucumber	[73]
<i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i>	Fusarium wilt	Tomato	[73]
<i>Fusarium solani</i>	Fusarium wilt	Potato, ginseng	[73]
<i>Glomerella cingulata</i> <i>Monosporascus</i>	Anthracnose	Pepper, strawberry, grapevine	[73]
<i>Monosporascus cannonballus</i>	Root rot	Cucumber, pumpkin, watermelon, melon	[73]
<i>Pythium aphanidermatum</i>	Damping-off	Tomato, tobacco, radish	[73]
<i>Pythium spinosum</i>	Root rot	Sweet potato, pumpkin, cabbage Eggplant,	[73]
<i>Stemphylium lycopersici</i>	Leaf spot	Eggplant, tomato, pepper	[73]
<i>Alternaria niger</i>	-	-	[146]
<i>Alternaria flavus</i>	-	-	[146]
<i>Fusarium verticillioides</i>	-	-	[148]
<i>Fusarium moniliforme</i>	-	-	[147]
<i>Penicillium brevicompactum</i>	-	-	[147]
<i>Helminthosporium oryzae</i>	-	-	[147]
<i>Pyricularia grisea</i>	-	-	[147]

Table 3: Combined applications of silver nanoparticles with other materials against fungal plant pathogens.

Combination with other material	Pathogen	Diseases	Crop	Reference
DHPAC shell nanocluster	<i>Phytophthora capsici</i>	-	-	[148]
DHPAC shell nanocluster	<i>tPhytophthora nicotianae</i>	-	-	[148]
DHPAC shell nanocluster	<i>Phytophthora colocasiae</i>	-	-	[148]
<i>Trichoderma</i> spp.	<i>Fusarium oxysporum</i> f.sp. <i>lycopersici</i>	Wilt	Tomato	[149]
<i>Trichoderma</i> spp.	<i>Sclerotium rolfsii</i>	Blight	Tomato	[149]
Fluconazole	<i>Phoma glomerata</i>	-	-	[150]
Fluconazole	<i>Phoma herbarum</i>	-	-	[150]
Fluconazole	<i>Fusarium semitectum</i>	-	-	[150]
Fluconazole	<i>Trichoderma</i> sp.	-	-	[150]
Fluconazole	<i>Candida albicans</i>	-	-	[150]
Neem	<i>Alternaria zinniae</i>	Leaf spot	Merigold	[151]
Ephobia	<i>Alternaria zinniae</i>	Leaf spot	Marigold	[151]
Silica	<i>Pythium ultimum</i>	-	-	[112]
Silica	<i>Magnaporthe grisea</i>	-	-	[112, 141]
Silica	<i>Colletotrichum gloeosporioides</i>	-	-	[112]
Silica	<i>Botrytis cinerea</i>	-	-	[112]
CuNPs	<i>Alternaria alternata</i>	-	-	[74]
CuNPs	<i>Botrytis cinerea</i>	-	-	[74]
Chloramphenicol	<i>Citrobacter freundii</i>	-	-	[12]
Chloramphenicol	<i>Erwinia cacticida</i>	-	-	[152]
Silica	<i>Podospaera xanthii</i>	Powdery mildew	Cucurbits	[112]
SIO2	<i>Rhizoctonia solani</i>	-	-	[73, 112]
Chitosan	<i>Rhizoctonia solani</i>	-	-	[153]
Chitosan	<i>Aspergillus flavus</i>	-	-	[153]
Chitosan	<i>Alternaria. alternata</i>	-	-	[153]
Chitosan	<i>Colletotrichum gloeosporioides</i>	Anthraxnose	Mango	[154]

Table 4: Silver nanoparticles against bacterial plant pathogens.

Name of pathogen	Diseases name	Crop	Ref.
<i>Xanthomonas campestris</i> pv. <i>campestris</i>	Black rot	Cabbage	[88, 155]
<i>Bacillus megaterium</i>	-	-	[156]
<i>Pseudomonas syringae</i>	-	-	[156]
<i>Burkholderia glumae</i>	-	-	[156]
<i>Xanthomonas oryzae</i>	-	-	[156]

Table 5: Combined applications of silver nanoparticles with other materials against bacterial plant pathogens.

Combination with other material	Pathogen	Reference
Graphene oxide	<i>Xanthomonas performance</i>	[92]
Silica	<i>Pseudomonas syringae</i> pv <i>syringae</i>	[112]
Silica	<i>Xanthomonas campestris</i> pv. <i>Vesicatoria</i>	[112]
Silica	<i>Bacillus subtilis</i> 1021	[112]
Silica	<i>Rhizobium tropici</i>	[112]
Silica	<i>Esterichia coli</i>	[112]

generation of reactive oxygen species (ROS) and cause inhibition in respiratory enzymes. Silver nanoparticles can prevent replication and protein synthesis [95], DNA contains sulfur and phosphorus as major components, silver nanoparticles that act on both and cause destruction of DNA [96]. Table 4 and 5 exhibit silver nanoparticles and their combination with other nanoparticles used for the management of fungal plant pathogens.

Management of viral diseases

There were three metal nanoparticles include Ag, Au and zinc used to control the viruses; an anthropological study showed that silver nanoparticles were used effectively against human viruses such as Tacaribe virus [97] and influenza virus [87] [98], similar nanoparticles (Ag and Zn) have also been used against plant viruses for instance, Bean yellow mosaic virus [99], Potato virus Y [100], Sunhemp rosette virus [101] and Cucumber mosaic virus [102].

Mode of action: Elbeshehy and his co-workers experimented that silver nanoparticles bind with virus envelopes inhibit virus infection [99] and similar results exhibit in table 6.

Used as preservatives

Recently, a pesticide product (NSPW-L30SS) containing nano-silver has been conditionally registered as preservative under FIFRA [103]. Silver nanoparticles are also used as preservatives because silver inhibits ethylene mediated processes, such as flowers abscission and senescence [104, 105]. Silver is also used in the packing industry to increase the shelf life of food products [106, 107].

Phytotoxicity of Nanoparticles

Silver is the second most poisonous element next to mercury to all the living beings in an ecosystem [108]. Silver nanoparticles leach silver ions (Ag^+) which are bio-accumulative, persistent and highly toxic to organisms [109], therefore, the release of AgNPs into ecosystems raise great concerns about their safety and environmental toxicity [110]. As a result, the release of AgNPs into habitats poses serious questions about their safety and toxicity to the environment [111].

Though silver and silica control powdery mildew pathogens but its higher concentration i.e., 3200 ppm causes phy-

totoxicity in plants [112]. Higher concentrations of AgNPs i.e., 5 to 20 mg/L resulted in a reduction of biomass in *Ara-bidopsis* [113]. Silver Nanoparticles with higher concentration shortened the length of wheat shoots and roots [114], reduced root elongation, shoot and root fresh weight in rice [115], inhibited seed germination and decreased biomass in zucchini (*Cucurbita pepo*) [116, 117]. In lettuce crop 1 and 2 mg/mL concentration of Al_2O_3 decreased biomass 10.4 and 17.9 percent respectively while 0.4 and 1 mg/mL concentration of $AlCl_3$ found reducing biomass 22.3 and 9.96 percent respectively [118]. Zinc oxide (ZnO) as nanoparticle was investigated for its toxicity, in this study root uptake and Phytotoxicity were observed by TEM and SEM and found that in the presence of ZnO nanoparticles *Lolium perenne* biomass reduced significantly, root tips shrink and cortical & epidermal cells of roots vacuolated and collapsed severely [118]. Similar results of Phytotoxicity were reported in *Cucumis sativus* and *Fagopyrum esculentum* in 2012 and 2013 respectively by Kim et al. [119, 120].

Conclusion

Use of nanoparticles in India still is in the research phase and has been proved to be very useful in the agriculture sector in the near future [121]. The active compounds of nanoparticles are supposed to be used as nano-fungicides, nano-insecticides, nano-bactericides, nano-weedicides, nano-virucides etc. effectively and extensively in the days to come [122]. Nano particles seem to be eco-friendly as they possess low residual effect and will be used as antimicrobial compounds against microorganisms which are used to develop pesticide resistance against synthetic pesticides [123]. Wide range application of nanoparticles makes it futuristic in many senses as nanoparticles used not only as pesticides but as growth regulators to accelerate balanced growth into roots and shoots contributing good yield, as fertilizers to fulfill the nutritional requirement of the plant, as gene regulators in genetics for the settling of desired genes among the plant species, as bio primer used in coating seeds, medicines, food materials to enhance their properties and to protect from outer threats. Nanoparticles are also had great ability to be used as food preservatives to improve self-life of the product and value addition. More research using nanotechnology and nanoparticles are required to prove and rehears previously done research worldwide.

Table 6: Silver nanoparticles against viral plant pathogens.

Virus	Plant	Reference
Banana bunchy top virus	Banana	[101]
Sunhemp rosette virus (SHRV)	<i>Cymopsis tetragonaloba</i>	[157]
Bean yellow mosaic virus (BYMV)	<i>Vicia faba</i>	[92]
Tobacco mosaic virus (TMV)	<i>Nicotiana tabacum</i>	[86]
Potato virus Y (PVY)	<i>Solanum tuberosum</i>	[158]
Tomato spotted wilt virus (TSWV)	<i>Solanum tuberosum</i> L. cv. Spunta	[159]
Tomato mosaic virus (ToMV)	<i>Solanum lycopersicum</i>	[160]
Potato virus Y (PVY)	<i>Solanum lycopersicum</i>	[160]
Cucumber mosaic virus (CMV)	<i>Cucumis sativus</i>	[102]

References

1. Pestovsky YS, Martínez-Antonio A. 2017. The use of nanoparticles and nanoformulations in agriculture. *Journal of Nanoscience and Nanotechnology* 17(12): 8699-8730. <https://doi.org/10.1166/jnn.2017.15041>
2. Horbach R, Navarro-Quesada AR, Knogge W, Deising HB. 2011. When and how to kill a plant cell: infection strategies of plant pathogenic fungi. *J Plant Physiol* 168(1):51-62. <https://doi.org/10.1016/j.jplph.2010.06.014>
3. Damalas, C. A., & Eleftherohorinos, I. G. (2011). Pesticide exposure, safety issues, and risk assessment indicators. *International journal of environmental research and public health*, 8(5), 1402-1419.
4. Anonumous. 2020. Pesticide action network UK. <https://www.pan-uk.org/health-effects-of-pesticides/>
5. Batsmanova LM, Gonchar LM, Taran NY, Okanenko AA. 2013. Using a colloidal solution of metal nanoparticles as micronutrient fertiliser for cereals. Proceedings of the International Conference Nanomaterials: Applications and Properties 2(4): 04NABM14.
6. Shang Y, Hasan M, Ahammed GJ, Li M, Yin H, 2019. Applications of nanotechnology in plant growth and crop protection: a review. *Molecules* 24(14): 2558. <https://doi.org/10.3390/molecules24142558>
7. Gruère G, Narrod C, Abbott L. 2011. Agricultural, food, and water nanotechnologies for the poor. International Food Policy Research Institute, Washington, DC, USA, pp 1-4.
8. Frewer LJ, Norde W, Fischer A, Kampers F. 2011. Nanotechnology in the agri-food sector: implications for the future. John Wiley & Sons, New York, USA. <https://doi.org/10.1002/9783527634798>
9. Mousavi, S. R., & Rezaei, M. (2011). Nanotechnology in agriculture and food production. *J Appl Environ Biol Sci*, 1(10), 414-419.
10. Biswal SK, Nayak AK, Parida UK, Nayak PL. 2012. Applications of nanotechnology in agriculture and food sciences. *Int J Sci Innov Discov*, 2(1): 21-36.
11. Souza LRR, da Rocha Neto AC, da Silva CR, Franchi LP, de Souza TAJ. 2019. Green Synthesis Approaches of Nanoagroparticles. In: Prasad R, Kumar V, Kumar M, Choudhary D (eds) *Nanobiotechnology in bioformulations. Nanotechnology in the life sciences*. Springer, Cham. pp 353-380. https://doi.org/10.1007/978-3-030-17061-5_15
12. Sharma P, Bhatt D, Zaidi MGH, Saradhi PP, Khanna PK, et al. 2012. Silver nanoparticle-mediated enhancement in growth and antioxidant status of *Brassica juncea*. *Appl Biochem Biotechnol* 167(8): 2225-2233. <https://doi.org/10.1007/s12010-012-9759-8>
13. Narware J, Yadav RN, Keswani C, Singh SP, Singh HB. 2019. Silver nanoparticle-based biopesticides for phytopathogens: scope and potential in agriculture. In: Opende K (ed) *Nano-biopesticides today and future perspectives*. Academic Press, Cambridge, Massachusetts, USA, pp 303-314.
14. Razzaq A, Ammara R, Jhanzab HM, Mahmood T, Hafeez A, et al. 2016. A novel nanomaterial to enhance growth and yield of wheat. *J Nanosci Technol* 2(1): 55-58.
15. Vuong LD, Luan NDT, Ngoc DDH, Anh PT, Bao VQ. 2017. Green synthesis of silver nanoparticles from fresh leaf extract of *Centella asiatica* and their applications. *Int J Nanosci* 16(01): 1650018. <https://doi.org/10.1142/S0219581X16500186>
16. Graily-Moradi F, Mallak AM, Ghorbanpour M. 2020. Biogenic synthesis of gold nanoparticles and their potential application in agriculture. In: Ghorbanpour M, Bhargava P, Varma A, Choudhary D (eds) *Biogenic nanoparticles and their use in agro-ecosystems*. Springer, Singapore, pp 187-204. https://doi.org/10.1007/978-981-15-2985-6_11
17. Faraz A, Faizan M, Fariduddin Q, Hayat S. 2020. Response of titanium nanoparticles to plant growth: agricultural perspectives. In: Hayat S, Pichtel J, Faizan M, Fariduddin Q (eds) *Sustainable agriculture reviews*. Springer, Cham, pp 101-110. https://doi.org/10.1007/978-3-030-33996-8_5
18. Aziz N, Faraz M, Pandey R, Shakir M, Fatma T, et al. 2015. Facile algae-derived route to biogenic silver nanoparticles: synthesis, antibacterial, and photocatalytic properties. *Langmuir* 31(42): 11605-11612. <https://doi.org/10.1021/acs.langmuir.5b03081>
19. Aziz N, Fatma T, Varma A, Prasad R. 2014. Biogenic synthesis of silver nanoparticles using *Scenedesmus abundans* and evaluation of their antibacterial activity. *Journal of Nanoparticles* 2014: 689419. <https://doi.org/10.1155/2014/689419>
20. Aziz N, Pandey R, Barman I, Prasad R. 2016. Leveraging the attributes of *Mucor hiemalis*-derived silver nanoparticles for a synergistic broad-spectrum antimicrobial platform. *Front Microbiol* 7: 1984. <https://doi.org/10.3389/fmicb.2016.01984>
21. Castellano JJ, Shafii SM, Ko F, Donate G, Wright TE, et al. 2007. Comparative evaluation of silver containing antimicrobial dressings and drugs. *Int Wound J* 4(2): 114-122. <https://doi.org/10.1111/j.1742-481X.2007.00316.x>
22. Fabrega J, Luoma SN, Tyler CR, Galloway TS, Lead JR. 2011. Silver nanoparticles: behaviour and effects in the aquatic environment. *Environ Int* 37(2): 517-531. <https://doi.org/10.1016/j.envint.2010.10.012>
23. Rajesh S, Raja D, Rathi JM, Sahayaraj K. 2012. Biosynthesis of silver nanoparticles using *Ulva fasciata* (Delile) ethyl acetate extract and its activity against *Xanthomonas campestris* pv. *malvacearum*. *J Biopest* 5: 119-128.
24. Crane RA, Scott TB. 2012. Nanoscale zero-valent iron: future prospects for an emerging water treatment technology. *J Hazard Mater* 211: 112-125. <https://doi.org/10.1016/j.jhazmat.2011.11.073>
25. Mochi, F., Burratti, L., Fratoddi, I., Venditti, I., Battocchio, C., Carlini, L. and Casciardi, S. (2018). Interaction of colloidal silver nanoparticles with Co²⁺ and Ni²⁺ in water for sensing application. *Nanomaterials*, 8, 488. doi: 10.3390/nano8070488
26. Sahayaraj K, Madasamy M, Radhika SA. 2016. Insecticidal activity of bio-silver and gold nanoparticles against *Pericalliaricini* Fab. (Lepidoptera: Archidae). *J Biopest* 9(1): 63-72.
27. Ghosh, S., Sarkar, B., Kumar, A., & Thongmee, S. (2022). Regulatory affairs, commercialization, and economic aspects of nanomaterials used for agriculture. In *Agricultural Nanobiotechnology* (pp. 479-502). Woodhead Publishing.
28. Mukhopadhyay SS. 2014. Nanotechnology in agriculture: prospects and constraints. *Nanotechnol Sci Appl* 7: 63-71. <https://doi.org/10.2147/NSA.S39409>
29. Pulit-Prociak J, Banach M. 2016. Silver nanoparticles—a material of the future...? *Open Chemistry* 14(1): 76-91. <https://doi.org/10.1515/chem-2016-0005>
30. Hu Q, Wujcik EK, Kelarakis A, Cyriac J, Gong X. 2017. Carbon-based nanomaterials as novel nanosensors. *J Nanomater* 2017: 3643517. <https://doi.org/10.1155/2017/3643517>
31. Joseph T, Morrison M. 2006. Nanotechnology in agriculture and food, A Nanoforum report, available for download from www.nanoforum.org
32. Dubey A, Mailapalli DR. 2016. Nanofertilisers, nanopesticides, nanosensors of pest and nanotoxicity in agriculture. In: Lichtfouse E (ed) *Sustainable agriculture reviews*. Springer, Cham, pp 307-330. https://doi.org/10.1007/978-3-319-26777-7_7
33. Yasur J, Usha-Rani P. 2015. Lepidopteran insect susceptibility to silver nanoparticles and measurement of changes in their growth, development and physiology. *Chemosphere* 124:92-102. <https://doi.org/10.1016/j.chemosphere.2014.11.029>
34. Yamanaka M, Hara K, Kudo J. 2005. Bactericidal actions of a silver ion solution on *Escherichia coli*, studied by energy-filtering transmission electron microscopy and proteomic analysis. *Appl Environ Microbiol* 71(11): 7589-7593. <https://doi.org/10.1128/AEM.71.11.7589-7593.2005>
35. Dubas ST, Pimpan V. 2008. Humic acid assisted synthesis of silver nanoparticles and its application to herbicide detection. *Mater Lett* 62(17-18): 2661-2663. <https://doi.org/10.1016/j.matlet.2008.01.033>

36. Crane RA, Scott TB. 2012. Nanoscale zero-valent iron: future prospects for an emerging water treatment technology. *J Hazard Mater*211: 112-125. <https://doi.org/10.1016/j.jhazmat.2011.11.073>
37. Wu S, Lan X, Zhao W, Li Y, Zhang L, et al. 2011. Controlled immobilization of acetylcholinesterase on improved hydrophobic gold nanoparticle/Prussian blue modified surface for ultra-trace organophosphate pesticide detection. *Biosens Bioelectron*27(1): 82-87. <https://doi.org/10.1016/j.bios.2011.06.020>
38. Turganbay S, Aidarova SB, Bekturganova NE, Li CS, Musabekov KB, et al. 2012. Nanoparticles of sulfur as fungicidal products for agriculture. *Eurasian Chem Technol J*14(4): 313-319. <https://doi.org/10.18321/ectj128>
39. Liu R, Lal R. 2015. Potentials of engineered nanoparticles as fertilizers for increasing agronomic productions. *Sci Total Environ*514: 131-139. <https://doi.org/10.1016/j.scitotenv.2015.01.104>
40. Berahmand AA, Panahi AG, Sahabi H, Feizi H, Moghaddam PR, et al. 2012. Effects silver nanoparticles and magnetic field on growth of fodder maize (*Zea mays L.*). *Biol Trace Elem Res*149(3): 419-424. <https://doi.org/10.1007/s12011-012-9434-5>
41. Ashour HA, Mahmoud AWM. 2017. Response of *Jatropha integerrima* plants irrigated with different levels of saline water to nano Silicon and Gypsum. *J Agric Stud*5(4): 136-160. <https://doi.org/10.5296/jas.v5i4.12170>
42. Rouhani M, Samih MA, Kalantari S. 2012. Insecticide effect of silver and zinc nanoparticles against *Aphis nerii* Boyer De Fonscolombe (Hemiptera: Aphididae). *Chilean Journal of Agricultural Research*72(4): 590-594.
43. Arora S, Sharma P, Kumar S, Nayan R, Khanna PK, et al. 2012. Gold-nanoparticle induced enhancement in growth and seed yield of *Brassica juncea*. *Plant Growth Regul*66(3): 303-310. <https://doi.org/10.1007/s10725-011-9649-z>
44. Sap-Iam N, Homklinchan C, Larpudomlert R, Warisnoicharoen W, Sereemasun A, et al. 2010. UV irradiation-induced silver nanoparticles as mosquito larvicides. *Journal of Applied Sciences* 10(23): 3132-3136. <https://doi.org/10.3923/jas.2010.3132.3136>
45. Wainwright M, Grayston SJ, De Jong P. 1986. Adsorption of insoluble compounds by mycelium of the fungus *Mucor flavus*. *Enzyme Microb Technol*8(10): 597-600. [https://doi.org/10.1016/0141-0229\(86\)90117-1](https://doi.org/10.1016/0141-0229(86)90117-1)
46. Shendge VS. Biosynthesis of silver nanoparticles (AgNPs) by using *Trichoderma harzianum* and its efficacy against soilborne plant pathogens of Tomato (Doctoral dissertation, Vasantrao Naik Marathwada Krishi Vidyaapeeth, Parbhani).
47. Adhikari T, Kundu S, Rao AS. 2016. Zinc delivery to plants through seed coating with nano-zinc oxide particles. *J Plant Nutr*39(1): 136-146. <https://doi.org/10.1080/01904167.2015.1087562>
48. Rai M, Yadav A, Gade A. 2009. Silver nanoparticles as a new generation of antimicrobials. *Biotechnol Adv*27(1): 76-83. <https://doi.org/10.1016/j.biotechadv.2008.09.002>
49. Yaseen T, Pu H, Sun DW. 2019. Fabrication of silver-coated gold nanoparticles to simultaneously detect multi-class insecticide residues in peach with SERS technique. *Talanta*196:537-545. <https://doi.org/10.1016/j.talanta.2018.12.030>
50. Aghdaei M, Salehi H, Sarmast MK. 2012. Effects of silver nanoparticles on *Tecomella undulata* (Roxb.) Seem, micropropagation. *Advances in Horticultural Science* 26(1): 21-24. <https://doi.org/10.13128/ahs-12748>
51. Sayed AM, Kim S, Behle RW. 2017. Characterisation of silver nanoparticles synthesised by *Bacillus thuringiensis* as a nanopesticide for insect pest control. *Biocontrol Sci Technol*27(11): 1308-1326. <https://doi.org/10.1080/09583157.2017.1397597>
52. Scott, N., & Chen, H. (2012). Nanoscale science and engineering for agriculture and food systems. *Industrial Biotechnology*, 8(6), 340-343.
53. Ewais EA, Desouky SA, Elshazly EH. 2015. Evaluation of callus responses of *Solanum nigrum L.* exposed to biologically synthesized silver nanoparticles. *Nanoscience and Nanotechnology*5(3): 45-56. <https://doi.org/10.5923/j.nn.20150503.01>
54. Aktar W, Sengupta D, Chowdhury A. 2009. Impact of pesticides use in agriculture: their benefits and hazards. *Interdiscip Toxicol*2(1): 1-12. <https://doi.org/10.2478/v10102-009-0001-7>
55. Aziz N, Pandey R, Barman I, Prasad R. 2016. Leveraging the attributes of *Mucor hiemalis*-derived silver nanoparticles for a synergistic broad-spectrum antimicrobial platform. *Front Microbiol*7: 1984. <https://doi.org/10.3389/fmicb.2016.01984>
56. Sekhon, B. S. (2014). Nanotechnology in agri-food production: an overview. *Nanotechnology, science and applications*, 7, 31.
57. Ihegwuagu NE, Sha'Ato R, Tor-Anyiin TA, Nnamonu LA, Buekes P, et al. 2016. Facile formulation of starch-silver-nanoparticle encapsulated dichlorvos and chlorpyrifos for enhanced insecticide delivery. *New J. Chem* 40(2): 1777-1784. <https://doi.org/10.1039/C5NJ01831E>
58. Rahimi D, Kartoolinejad D, Nourmohammadi K, Naghdi R. 2016. Increasing drought resistance of *Alnus subcordata C.A. Mey.* seeds using a nano priming technique with multi-walled carbon nanotubes. *J For Sci*62(6): 269-278. <https://doi.org/10.17221/15/2016-JFS>
59. Sarmast MK, Salehi H. 2016. Silver nanoparticles: an influential element in plant nanobiotechnology. *Mol Biotechnol*58(7): 441-449. <https://doi.org/10.1007/s12033-016-9943-0>
60. Ihegwuagu NE, Sha'Ato R, Tor-Anyiin TA, Nnamonu LA, Buekes P, et al. 2016. Facile formulation of starch-silver-nanoparticle encapsulated dichlorvos and chlorpyrifos for enhanced insecticide delivery. *New J. Chem* 40(2): 1777-1784. <https://doi.org/10.1039/C5NJ01831E>
61. Yang Y, Wang J, Xiu Z, Alvarez PJ. 2013. Impacts of silver nanoparticles on cellular and transcriptional activity of nitrogen cycling bacteria. *Environ Toxicol Chem*32(7): 1488-1494. <https://doi.org/10.1002/etc.2230>
62. Araj SEA, Salem NM, Ghabeish IH, Awwad AM. 2015. Toxicity of nanoparticles against *Drosophila melanogaster* (Diptera: Drosophilidae). *J Nanomater* 2015: 758132. <https://doi.org/10.1155/2015/758132>
63. Bergeson, L. L. (2009). FIFRA Scientific Advisory Panel Considers Nanosilver. *Envtl. L. Rep. News & Analysis*, 39, 11143
64. Mallmann EJJ, Cunha FA, Castro BN, Maciel AM, Menezes EA, et al. 2015. Antifungal activity of silver nanoparticles obtained by green synthesis. *Rev Inst Med Trop Sao Paulo*57(2): 165-167. <https://doi.org/10.1590/S0036-46652015000200011>
65. Javed B, Nadhman A. 2020. Optimization, characterization and antimicrobial activity of silver nanoparticles against plant bacterial pathogens phyto-synthesized by *Mentha longifolia*. *Mater Res Express*7(8): 085406. <https://doi.org/10.1088/2053-1591/abaf19>
66. Das S, Pattanayak, S. 2020. Nanotechnological approaches in sustainable agriculture and plant disease management. In: Das SK (ed) *Organic Agriculture*. IntechOpen. <https://doi.org/10.5772/intechopen.92463>
67. Kuppusamy P, Ilavenil S, Srigopalram S, Kim DH, Govindan N, et al. 2017. Synthesis of bimetallic nanoparticles (Au-Ag alloy) using *Commelina nudiflora L.* plant extract and study its on oral pathogenic bacteria. *J Inorg Organomet Polym*27(2): 562-568. <https://doi.org/10.1007/s10904-017-0498-8>
68. Kim KJ, Sung WS, Moon SK, Choi JS, Kim JG, et al. 2008. Antifungal effect of silver nanoparticles on dermatophytes. *J Microbiol Biotechnol* 18:1482-1484.
69. Khorrami S, Zarrabi A, Khaleghi M, Danaei M, Mozafari M. 2018. Selective cytotoxicity of green synthesized silver nanoparticles against the MCF-7 tumor cell line and their enhanced antioxidant and antimicrobial properties. *Int J Nanomedicine*13:8013-8024. <https://doi.org/10.2147/IJN.S189295>
70. Trenkel ME. 1997. Controlled-release and stabilized fertilizers in agriculture: improving fertilizer use efficiency. IFA.
71. Watlington K. 2005. Emerging nanotechnologies for site remediation and wastewater treatment. Washington DC: Environmental Protection Agency.

72. Chiranjeevi N. "Microbial Synthesis and Characterization of Nano Scale Silver Material and Evaluation of their Bio Efficacy against Rice Sheath Blight Pathogen *Rhizoctonia solani* (Kuhn)" (Doctoral dissertation, Acharya NG Ranga Agricultural University, Guntur).
73. Kim HJ, Park HJ, Choi SH. 2011. Antimicrobial action effect and stability of nanosized silica hybrid Ag complex. *J Nanosci Nanotechnol*11(7): 5781-5787. <https://doi.org/10.1166/jnn.2011.4492>
74. Ouda SM. 2014. Antifungal activity of silver and copper nanoparticles on two plant pathogens, *Alternaria alternata* and *Botrytis cinerea*. *Research Journal of Microbiology*9(1): 34-42. <https://doi.org/10.17311/jm.2014.34.42>
75. Karimi E, Sadeghi A. 2019. Toxicity effect of silver nanoparticles on two plant growth promoting streptomycetes spp. strains, phytopathogenic fungi *Fusarium solani* and phytopathogenic oomycetes *Pythium aphanidermatum* and *Pythium ultimum*. *Journal Of Biotechnology* 10(1): 23-27.
76. Panyala NR, Peña-Méndez EM, Havel J. 2008. Silver or silver nanoparticles: a hazardous threat to the environment and human health?. *J Appl Biomed*6(3): 117-129. <https://doi.org/10.32725/jab.2008.015>
77. Gupta A, Maynes M, Silver S. 1998. Effects of halides on plasmid-mediated silver resistance in *Escherichia coli*. *Appl Environ Microbiol*64(12): 5042-5045. <https://doi.org/10.1128/AEM.64.12.5042-5045.1998>
78. Matsumura Y, Yoshikata K, Kunisaki SI, Tsuchido T. 2003. Mode of bactericidal action of silver zeolite and its comparison with that of silver nitrate. *Appl Environ Microbiol*69(7): 4278-4281. <https://doi.org/10.1128/AEM.69.7.4278-4281.2003>
79. Ahn JM, Eom HJ, Yang X, Meyer JN, Choi J. 2014. Comparative toxicity of silver nanoparticles on oxidative stress and DNA damage in the nematode, *Caenorhabditis elegans*. *Chemosphere* 108: 343-352. <https://doi.org/10.1016/j.chemosphere.2014.01.078>
80. Feng QL, Wu J, Chen GQ, Cui FZ, Kim TN, et al. 2000. A mechanistic study of the antibacterial effect of silver ions on *Escherichia coli* and *Staphylococcus aureus*. *J Biomed Mater Res*52(4): 662-668. [https://doi.org/10.1002/1097-4636\(20001215\)52:4<662::aid-jbm10>3.0.co;2-3](https://doi.org/10.1002/1097-4636(20001215)52:4<662::aid-jbm10>3.0.co;2-3)
81. Hackenberg S, Scherzed A, Kessler M, Hummel S, Technau A, et al. 2011. Silver nanoparticles: evaluation of DNA damage, toxicity and functional impairment in human mesenchymal stem cells. *Toxicol Lett*201(1): 27-33. <https://doi.org/10.1016/j.toxlet.2010.12.001>
82. Kasyanenko N, Varshavskii M, Ikonnikov E, Tolstyko E, Belykh R, et al. 2016. DNA modified with metal nanoparticles: Preparation and characterization of ordered metal-DNA nanostructures in a solution and on a substrate. *J Nanomater*2016: 3237250. <https://doi.org/10.1155/2016/3237250>
83. Yang FL, Li XG, Zhu F, Lei CL. 2009. Structural characterization of nanoparticles loaded with garlic essential oil and their insecticidal activity against *Tribolium castaneum* (Herbst)(Coleoptera: Tenebrionidae). *J Agric Food Chem*57(21): 10156-10162. <https://doi.org/10.1021/jf9023118>
84. Yin IX, Zhang J, Zhao IS, Mei ML, Li Q, et al. 2020. The antibacterial mechanism of silver nanoparticles and its application in dentistry. *Int J Nanomedicine* 15: 2555-2562. <https://doi.org/10.2147/IJN.S246764>
85. Kim KJ, Sung WS, Moon SK, Choi JS, Kim JG, et al. 2008. Antifungal effect of silver nanoparticles on dermatophytes. *J Microbiol Biotechnol* 18:1482-1484.
86. Jaishankar M, Tseten T, Anbalagan N, Mathew BB, Beeregowda KN. 2014. Toxicity, mechanism and health effects of some heavy metals. *Int J Toxicol*7(2): 60-72. <https://doi.org/10.2478/intox-2014-0009>
87. Clement JL, Jarrett PS. 1994. Antibacterial silver. *Met Based drugs*1(5-6): 467-482. <https://doi.org/10.1155/MBD.1994.467>
88. Gan L, Xu W, Jiang M, He B, Su M. 2010. A study on the inhibitory activities of nano-silver to *Xanthomonas campestris* pv. *campestris*. *Acta Agriculturae Universitatis Jiangxiensis* 32(3), 493-497.
89. Safavi K, Mortazaeinezhad F, Esfahanizadeh M, Asgari MJ. 2011. *In vitro* antibacterial activity of nanomaterial for using in tobacco plants tissue culture. In: World Academy of Science, Engineering and Technology (Conference Paper) 55: 372. <https://doi.org/10.13140/2.1.1236.8007>
90. Hatchett DW, White HS. 1996. Electrochemistry of sulfur adlayers on the low-index faces of silver. *J Phys Chem* 100(23): 9854-9859. <https://doi.org/10.1021/jp953757z>
91. Chaloupka K, Malam Y, Seifalian AM. 2010. Nanosilver as a new generation of nanoparticle in biomedical applications. *Trends in Biotechnology* 28(11): 580-588. <https://doi.org/10.1016/j.tibtech.2010.07.006>
92. Ocsoy I, Paret ML, Ocsoy MA, Kunwar S, Chen T, et al. 2013. Nanotechnology in plant disease management: DNA-directed silver nanoparticles on graphene oxide as an antibacterial against *Xanthomonas perforans*. *ACS Nano*7(10): 8972-8980. <https://doi.org/10.1021/nn4034794>
93. Mahfouze HA, El-Dougoudou NK, Mahfouze SA. 2020. Virucidal activity of silver nanoparticles against banana bunchy top virus (BBTV) in banana plants. *Bull Natl Res Cent*44(1): 1-11. <https://doi.org/10.1186/s42269-020-00433-6>
94. Mahfouze HA, El-Dougoudou NK, Mahfouze SA. 2020. Virucidal activity of silver nanoparticles against banana bunchy top virus (BBTV) in banana plants. *Bull Natl Res Cent*44(1): 1-11. <https://doi.org/10.1186/s42269-020-00433-6>
95. Joshi N, Jain N, Pathak A, Singh J, Prasad R, et al. 2018. Biosynthesis of silver nanoparticles using *Carissa carandas* berries and its potential antibacterial activities. *J Sol-Gel Sci Technol* 86: 682-689. <https://doi.org/10.1007/s10971-018-4666-2>
96. Fernando S, Gunasekara T, Holton J. 2018. Antimicrobial Nanoparticles: applications and mechanisms of action. *Sri Lankan Journal of Infectious Diseases*8(1): 2-11. <http://doi.org/10.4038/sljid.v8i1.8167>
97. Tavakoli H, Rastegar H, Taherian M, Samadi M, Rostami H. 2017. The effect of nano-silver packaging in increasing the shelf life of nuts: An in vitro model. *Ital J Food Safte*6(4):6874. <https://doi.org/10.4081/ijfs.2017.6874>
98. Papp I, Sieben C, Ludwig K, Roskamp M, Böttcher C, et al. 2010. Inhibition of influenza virus infection by multivalent sialic acid functionalized gold nanoparticles. *Small*6(24): 2900-2906. <https://doi.org/10.1002/sml.201001349>
99. Elbeshehy EK, Elazzazy AM, Aggelis G. 2015. Silver nanoparticles synthesis mediated by new isolates of *Bacillus spp.*, nanoparticle characterization and their activity against Bean Yellow Mosaic Virus and human pathogens. *Front Microbiol*6: 453. <https://doi.org/10.3389/fmicb.2015.00453>
100. Mochi, F., Burratti, L., Fratoddi, I., Venditti, I., Battocchio, C., Carlini, L. and Casciardi, S. (2018). Interaction of colloidal silver nanoparticles with Co²⁺ and Ni²⁺ in water for sensing application. *Nanomaterials*, 8, 488. doi: 10.3390/nano8070488
101. Jain D. 2014. Green synthesis of silver nanoparticles and their application in plant virus inhibition. *J Mycol Plant Pathol* 44: 21-24.
102. Stampoulis D, Sinha SK, White JC. 2009. Assay-dependent phytotoxicity of nanoparticles to plants. *Environ Sci Technol* 43(24): 9473-9479. <https://doi.org/10.1021/es901695c>
103. Biswal SK, Nayak AK, Parida UK, Nayak PL. 2012. Applications of nanotechnology in agriculture and food sciences. *Int J Sci Innov Discov*, 2(1): 21-36.
104. Altman SA, Solomos T. 1995. Differential respiratory and morphological responses of carnations pulsed or continuously treated with silver thiosulfate. *Postharvest Biol Technol*5(4): 331-343. [https://doi.org/10.1016/0925-5214\(94\)00031-M](https://doi.org/10.1016/0925-5214(94)00031-M)
105. Ichimura K, Yoshioka S, Yumoto-Shimizu H. 2008. Effects of silver thiosulfate complex (STS), sucrose and combined pulse treatments on the vase life of cut snapdragon flowers. *Environmental Control in Biology*46(3): 155-162. <https://doi.org/10.2525/ecb.46.155>
106. Dubey A, Mailapalli DR. 2016. Nanofertilisers, nanopesticides, nanosensors of pest and nanotoxicity in agriculture. In: Lichtfouse E (ed) Sustainable agriculture reviews. Springer, Cham, pp 307-330. https://doi.org/10.1007/978-3-319-26777-7_7

107. Thirumurugan A, Aswitha P, Kiruthika C, Nagarajan S, Christy AN. 2016. Green synthesis of platinum nanoparticles using *Azadirachta indica* - an eco-friendly approach. *Mater Lett* 170: 175-178. <https://doi.org/10.1016/j.matlet.2016.02.026>
108. Aquilina N, Blundell R. 2016. Biochemical and physiological effect of silver bioaccumulation. *Open Journal of Pathology* 6: 57-71.
109. Yan A, Chen Z. 2019. Impacts of silver nanoparticles on plants: a focus on the phytotoxicity and underlying mechanism. *Int J Mol Sci* 20(5): 1003. <https://doi.org/10.3390/ijms20051003>
110. Ferdous Z, Nemmar A. 2020. Health impact of silver nanoparticles: a review of the biodistribution and toxicity following various routes of exposure. *Int J Mol Sci* 21(7): 2375. <https://doi.org/10.3390/ijms21072375>
111. Kaveh R, Li YS, Ranjbar S, Tehrani R, Brueck CL, et al. 2013. Changes in *Arabidopsis thaliana* gene expression in response to silver nanoparticles and silver ions. *Environ Sci Technol* 47(18): 10637-10644. <https://doi.org/10.1021/es402209w>
112. Park HJ, Kim SH, Kim HJ, Choi SH. 2006. A new composition of nanosized silica-silver for control of various plant diseases. *Plant Pathol* 55(3): 295-302.
113. Dimkpa CO, McLean JE, Martineau N, Britt DW, Haverkamp R, et al. 2013. Silver nanoparticles disrupt wheat (*Triticum aestivum* L.) growth in a sand matrix. *Environ Sci Technol* 47(2): 1082-1090. <https://doi.org/10.1021/es302973y>
114. Nair PMG, Chung IM. 2014. Physiological and molecular level effects of silver nanoparticles exposure in rice (*Oryza sativa* L.) seedlings. *Chemosphere* 112: 105-113. <https://doi.org/10.1016/j.chemosphere.2014.03.056>
115. Lead JR, Batley GE, Alvarez PJ, Croteau MN, Handy RD, et al. 2018. Nanomaterials in the environment: behavior, fate, bioavailability, and effects—an updated review. *Environ Toxicol Chem* 37(8): 2029-2063. <https://doi.org/10.1002/etc.4147>
116. Hawthorne J, Musante C, Sinha SK, White JC. 2012. Accumulation and phytotoxicity of engineered nanoparticles to *Cucurbita pepo*. *Int J Phytoremediation* 14(4): 429-442. <https://doi.org/10.1080/15226514.2011.620903>
117. Hayes KL, Mui J, Song B, Sani ES, Eisenman SW, et al. 2020. Effects, uptake, and translocation of aluminum oxide nanoparticles in lettuce: a comparison study to phytotoxic aluminum ions. *Sci Total Environ* 719: 137393. <https://doi.org/10.1016/j.scitotenv.2020.137393>
118. Kim S, Lee S, Lee I. 2012. Alteration of phytotoxicity and oxidant stress potential by metal oxide nanoparticles in *Cucumis sativus*. *Water Air Soil Pollut* 223(5): 2799-2806. <https://doi.org/10.1007/s11270-011-1067-3>
119. Lee S, Kim S, Kim S, Lee I. 2013. Assessment of phytotoxicity of ZnO NPs on a medicinal plant, *Fagopyrum esculentum*. *Environ Sci Pollut Res Int* 20(2): 848-854. <https://doi.org/10.1007/s11356-012-1069-8>
120. Galdiero, S., Falanga, A., Vitiello, M., Cantisani, M., Marra, V., & Galdiero, M. (2011). Silver nanoparticles as potential antiviral agents. *Molecules*, 16(10), 8894-8918.
121. Poopathi S, De Britto LJ, Praba VL, Mani C, Praveen M. 2015. Synthesis of silver nanoparticles from *Azadirachta indica*-a most effective method for mosquito control. *Environ Sci Pollut Res Int* 22(4): 2956-2963. <https://doi.org/10.1007/s11356-014-3560-x>
122. Speshock JL, Murdock RC, Braydich-Stolle LK, Schrand AM, Hussain SM. 2010. Interaction of silver nanoparticles with *Tacaribe virus*. *J Nanobiotechnology* 8(1): 1-9. <https://doi.org/10.1186/1477-3155-8-19>
123. Elsalam KA, Prasad R. 2018. Nanobiotechnology applications in plant protection. Springer.
124. Nair PMG, Choi J. 2011. Identification, characterization and expression profiles of Chironomus riparius glutathione S-transferase (GST) genes in response to cadmium and silver nanoparticles exposure. *Aquat Toxicol* 101(3): 550-560. <https://doi.org/10.1016/j.aquatox.2010.12.006>
125. Fouad H, Hongjie L, Hosni D, Wei J, Abbas G, et al. 2018. Controlling *Aedes albopictus* and *Culex pipiens pallens* using silver nanoparticles synthesized from aqueous extract of *Cassia fistula* fruit pulp and its mode of action. *Artif Cells Nanomed Biotechnol* 46(3): 558-567. <https://doi.org/10.1080/21691401.2017.1329739>
126. Ga'al H, Fouad H, Tian J, Hu Y, Abbas G, et al. 2018. Synthesis, characterization and efficacy of silver nanoparticles against *Aedes albopictus* larvae and pupae. *Pestic Biochem Physiol* 144: 49-56. <https://doi.org/10.1016/j.pestbp.2017.11.004>
127. Armstrong N, Ramamoorthy M, Lyon D, Jones K, Duttaroy A. 2013. Mechanism of silver nanoparticles action on insect pigmentation reveals intervention of copper homeostasis. *PLoS One* 8(1): e53186. <https://doi.org/10.1371/journal.pone.0053186>
128. Mao BH, Chen ZY, Wang YJ, Yan SJ. 2018. Silver nanoparticles have lethal and sublethal adverse effects on development and longevity by inducing ROS-mediated stress responses. *Sci Rep* 8(1): 2445. <https://doi.org/10.1038/s41598-018-20728-z>
129. Zahir AA, Bagavan A, Kamaraj C, Elango G, Rahuman AA. 2012. Efficacy of plant-mediated synthesized silver nanoparticles against *Sitophilus oryzae*. *Journal of Biopesticides* 5(5): 95-102.
130. Bharani RA, Namasivayam SKR. 2017. Biogenic silver nanoparticles-mediated stress on developmental period and gut physiology of major lepidopteran pest *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae) - An eco-friendly approach of insect pest control. *J Environ Chem Eng* 5(1): 453-467. <https://doi.org/10.1016/j.jece.2016.12.023>
131. Kamil D, Prameeladevi T, Ganesh S, Prabhakaran N, Nareshkumar R, et al. 2017. Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.).
132. AS AA, Thangapandiyar S. 2019. Comparative bioassay of silver nanoparticles and malathion on infestation of red flour beetle, *Tribolium castaneum*. *JoBAZ* 80(1): 1-10. <https://doi.org/10.1186/s41936-019-0124-0>
133. Zambonino MC, Quizhpe EM, Jaramillo FE, Rahman A, Vispo NS, et al. 2021. Green synthesis of selenium and tellurium nanoparticles: current trends, biological properties and biomedical applications. *Int J Mol Sci* 22(3): 989. <https://doi.org/10.3390/ijms22030989>
134. Salama HM. 2012. Effects of silver nanoparticles in some crop plants, common bean (*Phaseolus vulgaris* L.) and corn (*Zea mays* L.). *Int Res J Biotechnol* 3(10): 190-197.
135. Russell PE. 2005. A century of fungicide evolution. *J Agric Sci* 143(1): 11-25. <https://doi.org/10.1017/S0021859605004971>
136. Scott, N., & Chen, H. (2012). Nanoscale science and engineering for agriculture and food systems. *Industrial Biotechnology*, 8(6), 340-343.
137. Gogate S, Rahman S, Dutta P. 2018. Efficacy of synthesized silver nanoparticles using *Ocimum sanctum* (L.) leaf extract against *Corcyra cephalonica* (S.). *J. Entomol Zool Stud* 6(3): 1149-1155.
138. Krishnaraj C, Ramachandran R, Mohan K, Kalaiichelvan PT. 2012. Optimization for rapid synthesis of silver nanoparticles and its effect on phytopathogenic fungi. *Spectrochim Acta A Mol Biomol Spectrosc* 93: 5-99. <https://doi.org/10.1016/j.saa.2012.03.002>
139. Min JS, Kim KS, Kim SW, Jung JH, Lamsal K, et al. 2009. Effects of colloidal silver nanoparticles on sclerotium-forming phytopathogenic fungi. *Plant Pathol J* 25(4): 376-380. <https://doi.org/10.5423/PPJ.2009.25.4.376>
140. Akther T, Hemalatha S. 2019. Mycosilver nanoparticles: synthesis, characterization and its efficacy against plant pathogenic fungi. *BioNanoSci* 9(2): 296-301. <https://doi.org/10.1007/s12668-019-0607-y>
141. Jo YK, Kim BH, Jung G. 2009. Antifungal activity of silver ions and nanoparticles on phytopathogenic fungi. *Plant Dis* 93(10): 1037-1043. <https://doi.org/10.1094/PDIS-93-10-1037>
142. Lamsa K, Kim SW, Jung JH, Kim YS, Kim KS, et al. 2011. Inhibition effects of silver nanoparticles against powdery mildews on cucumber and pumpkin. *Mycobiology* 39(1): 26-32. <https://doi.org/10.4489/MYCO.2011.39.1.026>

143. Kasproicz MJ, Koziol M, Gorczyca A. 2010. The effect of silver nanoparticles on phytopathogenic spores of *Fusarium culmorum*. *Can J Microbiol*56(3): 247-253.<https://doi.org/10.1139/w10-012>
144. Hafez SI, Nafady NA, Abdel-Rahim IR, Shaltout AM, Daròs JA, et al. 2016. Assessment of protein silver nanoparticles toxicity against pathogenic *Alternaria solani*. *3 Biotech*6(2): 199.<https://doi.org/10.1007/s13205-016-0515-6>
145. Devi LS, Bareh DA, Joshi SR. 2014. Studies on biosynthesis of antimicrobial silver nanoparticles using endophytic fungi isolated from the ethno-medicinal plant *Gloriosa superba* L. *Proc Natl Acad Sci India Sect B Biol Sci*84(4): 1091-1099.<https://doi.org/10.1007/s40011-013-0185-7>
146. Elumalai EK, Vinothkumar P. 2013. Role of silver nanoparticle against plant pathogens. *Nano Biomed Eng*5(2): 90-93.
147. Elamawi RM, Al-Harbi RE, Hendi AA. 2018. Biosynthesis and characterization of silver nanoparticles using *Trichoderma longibrachiatum* and their effect on phytopathogenic fungi. *Egypt J Biol Pest Control*28(1): 28.<https://doi.org/10.1186/s41938-018-0028-1>
148. Ho VA, Le PT, NguyenTP, Nguyen CK, Nguyen VT, et al. 2015. Silver core-shell nanoclusters exhibiting strong growth inhibition of plant-pathogenic fungi. *J Nanomater*, 2015: 241614.<https://doi.org/10.1155/2015/241614>
149. Simonian AL, Good TA, Wang SS, Wild JR. 2005. Nanoparticle-based optical biosensors for the direct detection of organophosphate chemical warfare agents and pesticides. *Analytica Chimica Acta*534(1): 69-77. <https://doi.org/10.1016/j.aca.2004.06.056>
150. Gajbhiye M, KesharwaniJ, Ingle A, Gade A, Rai M. 2009. Fungus-mediated synthesis of silver nanoparticles and their activity against pathogenic fungi in combination with fluconazole. *Nanomedicine*5(4): 382-386.<https://doi.org/10.1016/j.nano.2009.06.005>
151. Negi M. 2016. *Bio-efficacy of silver nanoparticles of botanicals against Alternaria zinniae causing leaf spot disease in marigold* (Doctoral dissertation).
152. Paulkumar K, Gnanajobitha G, Vanaja M, Rajeshkumar S, Malarkodi C, et al. 2014. *Piper nigrum* leaf and stem assisted green synthesis of silver nanoparticles and evaluation of its antibacterial activity against agricultural plant pathogens. *The Scientific World Journal*2014: 829894. <https://doi.org/10.1155/2014/829894>
153. Kaur P, Thakur R, Choudhary A. 2012. An *in vitro* study of the antifungal activity of silver/chitosan nanoformulations against important seed borne pathogens. *Int J Sci Technol Res*1(6): 83-86.
154. Chowdappa P, Gowda S, Chethana CS, Madhura S. 2014. Antifungal activity of chitosan-silver nanoparticle composite against *Colletotrichum gloeosporioides* associated with mango anthracnose. *Afr J Microbiol Res*8(17): 1803-1812.<https://doi.org/10.5897/AJMR2013.6584>
155. RastogiA, Tripathi DK, Yadav S, Chauhan DK, Živčák M, et al. 2019. Application of silicon nanoparticles in agriculture. *3 Biotech*9(3): 1-11. <https://doi.org/10.1007/s13205-019-1626-7>
156. Pramanik P, Krishnan P, Maity A, Mridha N, Mukherjee A, et al. 2020. Application of nanotechnology in agriculture. In: Dasgupta N, Ranjan S, Lichtfouse E (eds) *Environmental Nanotechnology*. Springer, Cham, pp 317-348.https://doi.org/10.1007/978-3-030-26668-4_9
157. Dougdoug NK, Bondok AM, El-Dougdoug KA. 2018. Evaluation of silver nanoparticles as antiviral agent against tomv and pvv in tomato plants. *Middle East J Appl Sci* 8(1): 100-111.
158. Wang Y, Sun C, Xu C, Wang Z, Zhao M, et al. 2016. Preliminary experiments on nano-silver against tobacco mosaic virus and its mechanism. *Tobacco Technology*49(1): 22-30.<https://doi.org/10.16135/j.issn1002-0861.20160104>
159. El-shazly M, Attia Y, Kabil F, Anis E, Hazman M. 2017. Inhibitory effects of salicylic acid and silver nanoparticles on potato virus Y-infected potato plants in Egypt. *Middle East J Agric Res* 6(3): 835-848.
160. Shafie RM, Salama AM, Farroh KY. 2018. Silver nanoparticles activity against Tomato spotted wilt virus. *Middle East J Agric Res* 7(4): 1251-1267.